

HTML Styles

HTML Styles

The HTML **style** attribute is used to add styles to an element, such as color, font, size, and more.

<*tagname* **style**=*"property:value;"*>



Background Color

The CSS `background-color` property defines the background color for an HTML element.

```
<body style="background-color:powderblue;">  
  
<h1>This is a heading</h1>  
<p>This is a paragraph.</p>  
  
</body>
```

```
<body>  
  
<h1 style="background-color:powderblue;">This is a heading</h1>  
<p style="background-color:tomato;">This is a paragraph.</p>  
  
</body>
```

Text Color

The CSS `color` property defines the text color for an HTML element:

```
<h1 style="color:blue;">This is a heading</h1>
```

```
<p style="color:red;">This is a paragraph.</p>
```

Fonts

The CSS `font-family` property defines the font to be used for an HTML element:

```
<h1 style="font-family:verdana;">This is a heading</h1>
```

```
<p style="font-family:courier;">This is a paragraph.</p>
```

Text Size

The CSS `font-size` property defines the text size for an HTML element:

```
<h1 style="font-size:300%;">This is a heading</h1>
```

```
<p style="font-size:160%;">This is a paragraph.</p>
```

Text Alignment

The CSS `text-align` property defines the horizontal text alignment for an HTML element:

```
<h1 style="text-align:center;">Centered Heading</h1>
```

```
<p style="text-align:center;">Centered paragraph.</p>
```

Contents

HTML Styles.....	1
HTML Styles	1
Background Color	2
Text Color	3
Fonts	4
Text Size	5
Text Alignment	5